

1. Táblázat Néhány fontosabb nemzeti és ISO szabvány összehasonlító táblázata

MSZ (magyar)	DIN 17007	DIN 17006	AFNOR NF (francia)	GOST (orosz)	AISI/SAE (USA)	B.S. (angol)	EURONORM (nemzetközi)
KO 1	1.4000	X 6 Cr 13	Z 6 C 13	08X13	403	403 S 17	X 6 Cr 13
KO 2	1.4002	X 6 CrAl 13	Z 6 CA 13	-	405	405 S 17	X 6 CrAl 13
KO 3, H 16	1.4006	X 10 Cr 13	Z 12 C 13	12X13	410	410 S 21	X 10 Cr 13
KO 11	1.4016	X 6 Cr 17	Z 8 C 17	12X17	430	430 S 15	X 6 Cr 17
KO 12	1.4021	X 20 Cr 13	Z 20 C 13	20X13	420	420 S 37	X 20 Cr 13
KO 13	1.4024	X 15 Cr 13	-	-	-	420 S 29	X 10 Cr 13
KO 14	1.4028	X 30 Cr 13	Z 30 C 13	30X13	-	420 S 45	X 30 Cr 13
KO 16	1.4034	X 46 Cr 13	Z 40 C 14	40X13	-	420 S 45	X 40 Cr 13
KO 3 S	1.4057	X 20 CrNi 17 2	Z 15 CN 16-02	20X17H2	431	431 S 29	X 19 CrNi 17 2
KO 6	1.4104	X 12 CrMoS 17	Z 10 CF 17	-	430 F	-	X 6 CrMoS 17
KO 14	1.4112	X 90 CrMoV 18	-	-	440 B	-	-
KO 33	1.4113	X 6 CrMo 17	Z 8 CD 17-01	-	434	434 S 17	X 6 CrMo 17
KO 36 S	1.4125	X 105 CrMo 17	Z 100 CD 17	-	440 C	-	-
KO 41 LC	1.4301	X 5 CrNi 18 10	Z 6 CN 18-09	08X18H10	304	304 S 15	X 5 CrNi 18 10
	1.4303	X 5 CrNi 18 12	Z 8 CN 18-12	06X18H11	308	305 S 19	X 5 CrNi 18 10
	1.4305	X 10 CrNiS 18 9	Z 10 CNF 18-09	-	303	303 S 21	X 10 CrNiS 18 9
	1.4306	X 2 CrNi 19 11	Z 2 CN 18-09	03X18H11	304 L	304 S 12	X 2 CrNi 18 10
	1.4311	X 2 CrNiN 18 10	Z 2 CN 18-10 Az	-	304 LN	304 S 62	X 2 CrNiN 18 10
	1.4313	X 5 CrNi 13 4	Z 5 CN 13-04	-	-	425 C 11	-
	1.4401	X 5 CrNiMo 17 12 2	Z 6 CND 17-11	-	316	316 S 16	X 5 CrNiMo 17 12 2
	1.4406	X 2 CrNiMoN 17 12 2	Z 2 CND 17-12 Az	-	316 LN	316 S 61	X 2 CrNiMoN 17 12 2
	1.4429	X 2 CrNiMoN 17 13 3	Z 2 CND 17-13 Az	-	316 LN	316 S 62	X 2 CrNiMoN 17 13 3
KO 38 LC	1.4435	X 2 CrNiMo 18 14 3	Z 2 CND 17-13	-	316 L	316 S 11	X 2 CrNiMo 17 13 3
	1.4436	X 5 CrNiMo 17 13 3	Z 6 CND 17-12	-	316	316 S 16	X 5 CrNiMo 17 13 3
KO 42 LC	1.4438	X 2 CrNiMo 18 16 4	Z 2 CND 19-15	-	317 L	317 S 12	X 2 CrNiMo 18 16 4
	1.4460	X 8 CrNiMo 27 5	-	-	329	-	-
KO 4 Ti	1.4510	X 6 CrTi 17	Z 8 CT 17	08X17T	430 Ti	-	X 5 CrTi 17
	1.4511	X 6 CrNb 17	Z 8 CNb 17	-	-	-	-
	1.4512	X 6 CrTi 12	Z 6 CT 12	-	409	409 S 19	X 5 CrTi 12
KO 44 ELC	1.4539	X 2 NiCrMoCu 25 20 5	Z 1 NCDU 25-20	-	-	-	-
KO 36 Ti, KO 37 Ti	1.4541	X 6 CrNiTi 18 10	Z 6 CNT 18-10	12X18H10T	321	321 S 12	X 6 CrNiTi 18 10
	1.4542	X 5 CrNiCuNb 17 4	Z 6 CNU 17-04	-	630	-	-
KO 37 Nb	1.4550	X 6 CrNiNb 18 10	Z 6 CNb 18-10	08X18H12B	347	347 S 17	X 6 CrNiNb 18 10
KO 35 Ti	1.4571	X 6 CrNiMoTi 17 12 2	Z 6 CNDT 17-12	10X17H13M2T	316 Ti	320 S 31	X 6 CrNiMoTi 17 12 2